

Bid Document

Bid Details	
Bid End Date/Time	16-09-2021 11:00:00
Bid Opening Date/Time	16-09-2021 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Rajasthan
Department Name	Public Health Engineering Department Rajasthan
Organisation Name	N/a
Office Name	Chief Engineer Ground Water Department Jodhpur
Total Quantity	150
Item Category	Modular Work Stations , Almirah Steel-IS:3312 , Steel Filing Cabinets , Chairs-Office- IS 3499 , Revolving Chair
Minimum Average Annual Turnover of the Bidder	15 Lakh (s)
OEM Average Turnover (Last 3 Years)	75 Lakh (s)
Years of Past Experience required	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	20 %
Bid to RA enabled	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Primary product category	Modular Work Stations
Time allowed for Technical Clarifications during technical evaluation	2 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Advisory Bank	Bank Of Baroda
ePBG Percentage(%)	1.00
Duration of ePBG required (Months).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Project Director
Atal Bhujal Yojana, SPMU, Ground Water Department, Jaipur
(Suraj Bhan Singh)

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	No
-------------------------	----

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is

made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Modular Work Stations (38 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
SELLING UNIT	Selling unit	Order Quantity is number of Pieces / Clusters of specified number of seats. (Price given is for full cluster / module and not per seat)
GENERIC	Type of system	Desk band system
	Type / Shape of cluster	Single Seater Rectangular Cluster
	Construction of drawer unit	All wood pedestal
	Construction of pedestal	Top supporting
	Work top support	M S leg
MATERIAL	Frame material for work station	Powder Coated Extruded Aluminium Sections
	Material of table top	Prelaminated particle board
	Material of tiles for top	Fabric tackable-fabric upholstered metal tile with PE foam
	Material of intermediate tiles	N.A
	Material of bottom tiles	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
DIMENSION	Length of table top (main frame) ±10 mm(main frame)	1050 mm
	Length of table top (Return Frame)± 10mm	NA FOR RECTANGULAR
	Depth of table top ± 10mm	600 mm
	Overall height of work station partition ±10mm	1000 mm
	Thickness of side partition/panel ±2mm	15 mm
	Thickness of main frame ±5 mm	50 mm
	Size of drawer unit (WidthXDepthXHeight) ±10mm	390 X 440 X 147 (mm)
	Size of file box (WidthXDepthXHeight) ±10mm	390 X 440 X 296 (mm)
WARRANTY	Warranty period in number of years	1
INSTALLATION COMMISSIONING	INSTALLATION COMMISSIONING	The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).

Additional Specification Parameters - Modular Work Stations (38 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Wire Management for electric switch	Below table top by cable trays
Type of pedestal	two drawer and one filer
Locking system of pedestal	Center locking
Height and thickness of table top ±10mm	750 mm and 25mm
Powder coating thickness of frame	50 micron

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	21	60
2	Gurudutt Bohra	305023,Office of Senior Hydrogeologist (S&R), Ground Water Department, G.A.D. Quarter, Pushkar Bypass Road, Kayad Ajmer (Raj.) - 305023	1	60
3	Niranjan Mathur	301001,Office of the Senior Hydrogeologist, Ground Water Department, 352, Lajpat Nagar, Alwar - 301001	2	60
4	Dr.Prawal Athaiya	324001,Office of the Senior Hydrogeologist, Ground Water Department, C.A.D Residential Colony, C.A.D Circle, Kota - 324001	2	60
5	Madan Singh Ranawat	311001,Office of the Incharge Hydrogeologist, Ground Water Department, 70 Rama Vihar, Near Sukhadia Circle, Bhilwara 311001	1	60
6	Ashok Kumar Badala	312001,Office of the Senior Hydrogeologist(Survey & Research), Ground Water Department, Segwa Housing Board Road, Senth, Chittorgarh	1	60
7	Anoop Kumar Thareja	302004,Office of the Senior Hydrogeologist, Ground Water Department, 72-B Jhalana Doongari, Jaipur. Pin No. 302004	2	60
8	Barkat Ali	334001,Office of the Senior Hydrogeologist, Ground Water Department, Jorbeer, Near NRCC, Bikaner - 334001	1	60
9	Narayan Das Inakhiya	345001,Office of the Incharge Hydrogeologist (Survey & Research), Ground Water Department, Near Airforce Circle, Jaisalmer 345001	1	60
10	Manish Panwar	326001,Office of the Incharge Hydrogeologist, Ground Water Department, Purana Thop Khana, Godam ki Talai, Jhalawar.- 326001	1	60
11	Rajesh Pareek	333001,Office of the Incharge Hydrogeologist, Ground Water Department, Behind Collector Office Campus, Mandawa Mod, Jhunjhunu. Pin no. 333001	1	60

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
12	Suresh Singh	322001,Office of the Incharge Hydrogeologist, Ground Water Department, Sawai Madhopur, Behind Akashwani Campus, Collectorate Road, Sawai Madhopur. Pin No. 322001	2	60
13	Dinesh Kumar	332001,Office of the Incharge Hydrogeologist, Sangliya Bhawan, In Front street of Maru School, Aanand Nagar, Fatehpur Road, Sikar, 332001	1	60
14	Sandeep Jain	313324,Office of the Pilot Team Leader (RWSRP), Ground Water Department, Rajsamand, Above Panchayat Samiti Rajsamand, Near Jail Rajsamand District, Pin:- 313324	1	60

Almirah Steel-IS:3312 (14 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet (+/- 10 mm)	N.A
	Width of Glass Sheet (+/- 10 mm)	N.A
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.8 mm
	Sheet Thickness of Pedestal in mm	0.9 mm
	Material of Lock	steel
	Material of Keys	steel
GENERIC	Conformity to Indian Standard IS:3312 latest	No

Specification	Specification Name	Bid Requirement (Allowed Values)
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	2
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855
	Width (+/- 7 mm)	910.0
	Depth (+/- 5 mm)	430.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	N.A
	Thickness of MS Sheet of Stiffner	0.9 mm
	Stiffened Pedestal height in mm (± 2 mm)	120
	Pedestal Width in mm (± 2 mm)	70
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001, 72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	14	60

Almirah Steel-IS:3312 (20 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet (+/- 10 mm)	N.A
	Width of Glass Sheet (+/- 10 mm)	N.A
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.8 mm
	Sheet Thickness of Pedestal in mm	0.9 mm
	Material of Lock	steel
	Material of Keys	steel
GENERIC	Conformity to Indian Standard IS:3312 latest	No
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA
	Number of Doors (Nos)	2

Specification	Specification Name	Bid Requirement (Allowed Values)
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	2
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1000
	Width (+/- 7 mm)	910.0
	Depth (+/- 5 mm)	430.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	N.A
	Thickness of MS Sheet of Stiffner	0.9 mm
	Stiffened Pedestal height in mm (± 2 mm)	120
	Pedestal Width in mm (± 2 mm)	70
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	20	60

Steel Filing Cabinets (6 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Number of Drawer (NOS)	3
	Drawer suspension	Telescopic Slide
	Lock	Provided
	Locking Mechanism	cylinder locking
	Movable with Wheels at bottom	No
	Loading Capacity of drawer in kg (+/- 2 Kg)	40, 50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200 Or higher
MATERIAL	Sheet Thickness of Side, Back, Top and bottom in mm (+/- 5%)	0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	Sheet Thickness of Filing Drawer in mm (+/- 5%)	0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	Clutch compressor strip or Cradle strip	made of steel sheet of 1 mm thickness(min)
DIMENSION	Overall Height +/- 10(mm)	1050.0
	Width +/- 10 (mm)	450.0
	Depth +/- 10(mm)	620.0
	Height of smallest Drawer +/- 10(mm)	ALL DRAWERS EQUAL
	Height of medium Drawer +/- 10(mm)	ALL DRAWERS EQUAL
	Height of largest Drawer +/- 10(mm)	N.A
COLOUR & FINISH	Finish	powder coated

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001, 72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	6	60

Chairs-Office- IS 3499 (24 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other than wood) used in Polythene cane Chair	NOT APPLICABLE
	Material of Fabric Back Cover	polyster
	Frame Material	ERW pipe
	Material of Fabric of Seat Cover	fabric
	Thickness of Plywood used in Seat ± 1(mm)	12 mm
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	220 Gram per Sq Meter
	Arm Material	polypropelene
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	N.A
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	60 mm
GENERIC	Chair Type	With Arms
	Type of Seat and Backrest	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded polypropylene
	Frame Type	4 Legs
	Castors	Without
DIMENSION	Size of Material (mm)	16 SWG 30 mm round pipe
	Chair Height ± 15(mm)	890 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Depth ±10(mm)	530 MM
	Seat Width ±10 (mm)	470 mm
	Seat Height IN MM ±5(mm)	430
	Backrest Width ±10(mm)	480 mm
	Backrest Height ±10(mm)	500 mm
	Arm Length ±5(mm)	N.A
	Arm Width ±2(mm)	75 mm, N.A
COLOUR & FINISH	Paint Type	powder coated on MS
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
WARRANTY	Warranty period in number of years	1

Additional Specification Parameters - Chairs-Office- IS 3499 (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Color of Paint, Fabric for Seat and Backrest	Black
Finish	Powder Coated
Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	40 Kg/Cub M
Shoe Type	Nylon Rubber

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	24	60

Revolving Chair (6 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Aluminium Alloy With Nylon Twin Caster Wheels Minimum Of 50-70 Diameter
	Arm Material	Proppylene
	seat material	PU foam covered with mesh fabric
	Material of Fabric Back Cover / Material for Backrest	mesh fabric
	Material of Fabric of Seat Cover	Mesh Fabrics
GENERAL	Chair Type	knee tilt synchronic
	Height Adjustment ± 5(mm)	up to 100 mm
	Arm	With
	Type of backrest support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	Yes
	Seat type	sliding
	Number of arm movement	4(up & down end left & right)
	Lumber support	integrated
DIMENSION	Overall Chair Height ±15mm	1220
	Backrest Height ±15mm	730.0
	Backrest Width ±10mm	440.0
	Seat Height ±15 mm	420

Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Width ± 10 mm	500
	Seat Depth ± 10 mm	480.0
	Thickness of MS Plate Joining the under structure with Seat	0.0
	Thickness of Plywood used in Seat ± 1 (mm)	12 mm
	Thickness of Plywood used in Backrest ± 1 (mm)	N.A
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	NO

Additional Specification Parameters - Revolving Chair (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Density of PU foam used in seat KG per Cu Meter (+/- 3)	40
GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	220
Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame

Specification Parameter Name	Bid Requirement (Allowed Values)
Pedestal Size (Diameter in mm) +/- 10 mm	680
Type of Locking	3-Position Locking

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	6	60

Revolving Chair (42 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proppylene
	seat material	PU foam covered with mesh fabric
	Material of Fabric Back Cover / Material for Backrest	mesh fabric
	Material of Fabric of Seat Cover	Mesh Fabrics
GENERAL	Chair Type	central tilt synchronic
	Height Adjustment \pm 5(mm)	up to 100 mm
	Arm	With
	Type of backrest support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	No
	Seat type	fixed

Specification	Specification Name	Bid Requirement (Allowed Values)
	Number of arm movement	2(up & down)
	Lumber support	integrated
DIMENSION	Overall Chair Height $\pm 15\text{mm}$	1025
	Backrest Height $\pm 15\text{mm}$	520.0
	Backrest Width $\pm 10\text{mm}$	480.0
	Seat Height $\pm 15\text{ mm}$	500
	Seat Width $\pm 10\text{ mm}$	480
	Seat Depth $\pm 10\text{ mm}$	540.0
	Thickness of MS Plate Joining the under structure with Seat	0.0
	Thickness of Plywood used in Seat $\pm 1(\text{mm})$	12 mm
	Thickness of Plywood used in Backrest $\pm 1(\text{mm})$	N.A
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	60
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	NO

Additional Specification Parameters - Revolving Chair (42 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Density of PU foam used in seat KG per Cu Meter (+/- 3)	40
GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	220
Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame
Pedestal Size (Diameter in mm) +/- 10 mm	680
Colour of Fabric for Seat and Backrest	Black

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mukesh Vaishnav	302001, 72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001	25	60
2	Gurudutt Bohra	305023, Office of Senior Hydrogeologist (S&R), Ground Water Department, G.A.D. Quarter, Pushkar Bypass Road, Kayad Ajmer (Raj.) - 305023	1	60
3	Niranjan Mathur	301001, Office of the Senior Hydrogeologist, Ground Water Department, 352, Lajpat Nagar, Alwar - 301001	2	60
4	Dr. Prawal Athaiya	324001, Office of the Senior Hydrogeologist, Ground Water Department, C.A.D Residential Colony, C.A.D Circle, Kota - 324001	2	60
5	Madan Singh Ranawat	311001, Office of the Incharge Hydrogeologist, Ground Water Department, 70 Rama Vihar, Near Sukhadia Circle, Bhilwara 311001	1	60
6	Ashok Kumar Badala	312001, Office of the Senior Hydrogeologist (Survey & Research), Ground Water Department, Segwa Housing Board Road, Senth, Chittorgarh	1	60
7	Anoop Kumar Thareja	302004, Office of the Senior Hydrogeologist, Ground Water Department, 72-B Jhalana Doongari, Jaipur. Pin No. 302004	2	60

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
8	Barkat Ali	334001,Office of the Senior Hydrogeologist, Ground Water Department, Jorbeer, Near NRCC, Bikaner - 334001	1	60
9	Narayan Das Inakhiya	345001,Office of the Incharge Hydrogeologist (Survey & Research), Ground Water Department, Near Airforce Circle, Jaisalmer 345001	1	60
10	Manish Panwar	326001,Office of the Incharge Hydrogeologist, Ground Water Department, Purana Thop Khana, Godam ki Talai, Jhalawar.- 326001	1	60
11	Rajesh Pareek	333001,Office of the Incharge Hydrogeologist, Ground Water Department, Behind Collector Office Campus, Mandawa Mod, Jhunjhunu. Pin no. 333001	1	60
12	Suresh Singh	322001,Office of the Incharge Hydrogeologist, Ground Water Department, Sawai Madhopur, Behind Akashwani Campus, Collectorate Road, Sawai Madhopur. Pin No. 322001	2	60
13	Dinesh Kumar	332001,Office of the Incharge Hydrogeologist, Sangliya Bhawan, In Front street of Maru School, Aanand Nagar, Fatehpur Road, Sikar, 332001	1	60
14	Sandeep Jain	313324,Office of the Pilot Team Leader (RWSRP), Ground Water Department, Rajsamand, Above Panchayat Samiti Rajsamand, Near Jail Rajsamand District, Pin:- 313324	1	60

Buyer Added Bid Specific Additional Terms and Conditions

- NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.
- Dedicated /toll Free Telephone No, for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.
- Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- Buyer Added text based ATC clauses

- EMD: Bid Security Declaration by Bidder must be uploaded as per circular no. F.2(1)/Finance/G&TSPFC/

2017 dt 23.12.2020.

2. Office of the service center must have ISO 9001 certification and is required to be located in consignee state for sake of

better co-ordination, smooth services and other administrative factors. In support, service provider will give details of office

address, Contact Person and his mobile number along with the bid failing which there offer will not be considered.

3. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents.

Buyers can match and

verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters,

the bid is liable for rejection.

4. The bidder is required to upload, along with this bid, offered product/ model wise all certificates

including certificates of

dimensional accuracy, specifications of all material and finishes used in manufacturing the product duly certified by NABL/

govt. accredited lab.

5. Commercial Experience Eligibility Criteria:

For experience, the order(s) executed by the bidder in central/ state govt organization by the bidder, during the last three

years ending on the last day of the month immediately preceding the month in which the last date of bid submission falls,

should be considered as under:

Three orders each executed for "similar item" where executed value is not less than the amount equal to 30% of the estimated cost.

OR

Two orders each executed for "similar item" where executed value is not less than the amount equal to 40% of the estimated

cost.

OR

One order executed for "similar item" where executed value is not less than the amount equal to 50% of the estimated cost.

The last date of order execution may fall in the above mentioned period.

6. Pre-dispatch inspection of goods: Before dispatch, the goods shall be inspected by any NABL/ govt accredited lab at bidder

premises. Bidder shall provide pre-dispatch inspection certificate along with invoice to all consignees with the supply.

Inspection charges shall be borne by the supplier and it shall not be reimbursed by indenter to them at any point in time. Cost

of inspection shall be factored in by the supplier in the cost of the product itself while submitting bid.

7. In case of any claim made during warranty period, repair action must be taken onsite within 120 hours of reporting the

defect on company provided service center, or else the buyer will be entitled to deduct/recover the penalty for the delay,

unless covered under Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military

operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have

arisen after the conclusion of the present contract., @ 0.5% per day per item as penalty amount not exceeding Performance

security without any controversy/dispute of any sort whatsoever.

8. This procurement is reserved for MSMEs of Rajasthan State only as per notification of FD (G&T Division) dated 19.11.2015.

9. Bidders can submit their grievances/ queries on toll free no. 1800110121 or on Atal Jal Portal (www.ataljal.in).

10. Bidders debarred from World Bank as mentioned on thier website

(<https://www.worldbank.org/en/projects-operations/procurement/debarred-firms>) shall not be entitled to participate in this bid.

8. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---