

Bid Document

| Bid Details | |
|--|---|
| Bid End Date/Time | 02-08-2021 11:00:00 |
| Bid Opening Date/Time | 02-08-2021 11:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 30 (Days) |
| Ministry/State Name | Rajasthan |
| Department Name | Public Health Engineering Department Rajasthan |
| Organisation Name | N/a |
| Office Name | Chief Engineer Ground Water Department Jodhpur |
| Total Quantity | 150 |
| Item Category | Modular Work Stations , Almira Steel-IS:3312 , Steel Filing Cabinets , Chairs-Office- IS 3499 , Revolving Chair |
| OEM Average Turnover (Last 3 Years) | 75 Lakh (s) |
| Years of Past Experience required | 3 Year (s) |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Past Performance | 20 % |
| Bid to RA enabled | No |
| Primary product category | Modular Work Stations |
| Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| Evaluation Method | Total value wise evaluation |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|-------------------------------------|----------------|
| Advisory Bank | Bank Of Baroda |
| ePBG Percentage(%) | 1.00 |
| Duration of ePBG required (Months). | 14 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Project Director
Atal Bhujal Yojana, SPMU, Ground Water Department, Jaipur
(Suraj Bhan Singh)

Splitting

Bid splitting not applied.

MII Purchase Preference

| | |
|-------------------------|-----|
| MII Purchase Preference | Yes |
|-------------------------|-----|

Reserved for MSE

| | |
|------------------|-----|
| Reserved for MSE | Yes |
|------------------|-----|

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders

are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Modular Work Stations (38 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

* [As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|---|
| SELLING UNIT | Selling unit | Order Quantity is number of Pieces / Clusters of specified number of seats. (Price given is for full cluster / module and not per seat) |
| GENERIC | Type of system | Desk band system |
| | Type / Shape of cluster | Single Seater Rectangular Cluster |
| | Construction of drawer unit | All wood pedestal |
| | Construction of pedestal | Top supporting |
| | Work top support | M S leg |
| MATERIAL | Frame material for work station | Powder Coated Extruded Aluminium Sections |
| | Material of table top | Prelaminated particle board |
| | Material of tiles for top | Fabric tackable-fabric upholstered metal tile with PE foam |
| | Material of intermediate tiles | N.A |
| | Material of bottom tiles | N.A |
| DIMENSION | Length of table top (main frame) ±10 mm(main frame) | 1050 mm |
| | Length of table top (Return Frame)± 10mm | NA FOR RECTANGULAR |
| | Depth of table top ± 10mm | 600 mm |
| | Overall height of work station partition ±10mm | 1000 mm |
| | Thickness of side partition/panel ±2mm | 15 mm |
| | Thickness of main frame ±5 mm | 50 mm |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------------------|---|--|
| | Size of drawer unit (WidthXDepthXHeight) ±10mm | 390 X 440 X 147 (mm) |
| | Size of file box (WidthXDepthXHeight) ±10mm | 390 X 440 X 296 (mm) |
| WARRANTY | Warranty period in number of years | 1 |
| INSTALATION COMMISSIONING | INSTALLATION COMMISSIONING | The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller). |

Additional Specification Parameters - Modular Work Stations (38 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|---|----------------------------------|
| Wire Management for electric switch | Below table top by cable trays |
| Type of pedestal | two drawer and one filer |
| Locking system of pedestal | Center locking |
| Height and thickness of table top ±10mm | 750 mm and 25mm |
| Powder coating thickness of frame | 50 micron |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 21 | 60 |
| 2 | Gurudutt Bohra | 305023,Office of Senior Hydrogeologist (S&R), Ground Water Department, G.A.D. Quarter, Pushkar Bypass Road, Kayad Ajmer (Raj.) - 305023 | 1 | 60 |

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|--------------|------------------------------------|---|-----------------|----------------------|
| 3 | Niranjan Mathur | 301001,Office of the Senior Hydrogeologist, Ground Water Department, 352, Lajpat Nagar, Alwar - 301001 | 2 | 60 |
| 4 | Madan Singh Ranawat | 311001,Office of the Incharge Hydrogeologist, Ground Water Department, 70 Rama Vihar, Near Sukhadia Circle, Bhilwara 311001 | 1 | 60 |
| 5 | Barkat Ali | 334001,Office of the Senior Hydrogeologist, Ground Water Department, Jorbeer, Near NRCC, Bikaner - 334001 | 1 | 60 |
| 6 | Anoop Kumar Thareja | 302004,Office of the Senior Hydrogeologist, Ground Water Department, 72-B Jhalana Doongari, Jaipur. Pin No. 302004 | 2 | 60 |
| 7 | Narayan Das Inakhiya | 345001,Office of the Incharge Hydrogeologist (Survey & Research), Ground Water Department, Near Airforce Circle, Jaisalmer 345001 | 1 | 60 |
| 8 | Manish Panwar | 326001,Office of the Incharge Hydrogeologist, Ground Water Department, Purana Thop Khana, Godam ki Talai, Jhalawar.- 326001 | 1 | 60 |
| 9 | Rajesh Pareek | 333001,Office of the Incharge Hydrogeologist, Ground Water Department, Behind Collector Office Campus, Mandawa Mod, Jhunjhunu. Pin no. 333001 | 1 | 60 |
| 10 | Dr.Prawal Athaiya | 324001,Office of the Senior Hydrogeologist, Ground Water Department, C.A.D Residential Colony, C.A.D Circle, Kota - 324001 | 2 | 60 |
| 11 | Sandeep Jain | 313324,Office of the Pilot Team Leader (RWSRP), Ground Water Department, Rajsamand, Above Panchayat Samiti Rajsamand, Near Jail Rajsamand District, Pin:- 313324 | 1 | 60 |
| 12 | Suresh Singh | 322001,Office of the Incharge Hydrogeologist, Ground Water Department, Sawai Madhopur, Behind Akashwani Campus, Collectorate Road, Sawai Madhopur. Pin No. 322001 | 2 | 60 |

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 13 | Dinesh Kumar | 332001,Office of the Incharge Hydrogeologist, Sangliya Bhawan, In Front street of Maru School, Aanand Nagar, Fatehpur Road, Sikar, 332001 | 1 | 60 |
| 14 | Ashok Kumar Badala | 312001,Office of the Senior Hydrogeologist(Survey & Research), Ground Water Department, Segwa Housing Board Road, Senth, Chittorgarh | 1 | 60 |

Almirah Steel-IS:3312 (14 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

* [As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------------------------------|---|---|
| MATERIAL | Material | M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312) |
| | Material of Almirah Doors | M S Sheet |
| | Sheet Thickness of Locker | N.A |
| | Length of Glass Sheet ±10 (mm) | N.A |
| | Width of Glass Sheet ±10 (mm) | N.A |
| | Sheet Thickness of door in mm | 0.8 mm (Minimum) |
| | Sheet Thickness of sides,back , Top and Bottom | 0.8 mm (Minimum) |
| | Sheet Thickness of Shelves | 0.8 mm |
| | Sheet Thickness of Pedestal in mm | 0.9 mm |
| | Material of Lock | steel |
| | Material of Keys | steel |
| | GENERIC | Conformity to Indian Standard IS:3312 latest |
| No of shelves (Nos) | | 4 |
| Type of Shelves | | Adjustable |
| Locker Provided | | No |
| Locking System with the locker | | NA |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-----------------|--|---|
| | Number of Doors (Nos) | 2 |
| | Door Stiffner upto full door height Provided with the almirah doors | Yes |
| | Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement | 2 |
| | Number of Glass Sheet fixed in each Almirah door (Nos) | N.A |
| | Construction | Welded |
| | Lock | Three Way bolting device controlled by 6 lever lock |
| DIMENSION | Height (Without Pedestal) (in mm) (+/- 10 mm) | 1855 |
| | Width in mm (± 7 mm) | 910.0 |
| | Depth in mm (± 5 mm) | 430.0 |
| | Inside Height of Locker in mm (± 5 mm) | N.A |
| | Inside Width of Locker in mm (± 5 mm) | N.A |
| | Inside Depth of Locker in mm (± 5 mm) | N.A |
| | Width of Stiffner in mm (± 5 mm) | N.A |
| | Thickness of MS Sheet of Stiffner (in mm) | 0.9 mm |
| | Stiffened Pedestal height in mm (± 2 mm) | 120 |
| | Pedestal Width in mm (± 2 mm) | 70 |
| COLOUR & FINISH | Finish | powder coated |
| WARRANTY | WARANTEE PERIOD IN NUMBER OF YEARS | 1 |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 14 | 60 |

Almirah Steel-IS:3312 (20 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|--|---|---|
| MATERIAL | Material | M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312) |
| | Material of Almirah Doors | M S Sheet |
| | Sheet Thickness of Locker | N.A |
| | Length of Glass Sheet ±10 (mm) | N.A |
| | Width of Glass Sheet ±10 (mm) | N.A |
| | Sheet Thickness of door in mm | 0.8 mm (Minimum) |
| | Sheet Thickness of sides,back , Top and Bottom | 0.8 mm (Minimum) |
| | Sheet Thickness of Shelves | 0.8 mm |
| | Sheet Thickness of Pedestal in mm | 0.9 mm |
| | Material of Lock | steel |
| | Material of Keys | steel |
| | GENERIC | Conformity to Indian Standard IS:3312 latest |
| No of shelves (Nos) | | 4 |
| Type of Shelves | | Adjustable |
| Locker Provided | | No |
| Locking System with the locker | | NA |
| Number of Doors (Nos) | | 2 |
| Door Stiffner upto full door height Provided with the almirah doors | | Yes |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-----------------|--|---|
| | Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement | 2 |
| | Number of Glass Sheet fixed in each Almirah door (Nos) | N.A |
| | Construction | Welded |
| | Lock | Three Way bolting device controlled by lock |
| DIMENSION | Height (Without Pedestal) (in mm) (+/- 10 mm) | 1000 |
| | Width in mm (± 7 mm) | 910.0 |
| | Depth in mm (± 5 mm) | 430.0 |
| | Inside Height of Locker in mm (± 5 mm) | N.A |
| | Inside Width of Locker in mm (± 5 mm) | N.A |
| | Inside Depth of Locker in mm (± 5 mm) | N.A |
| | Width of Stiffner in mm (± 5 mm) | N.A |
| | Thickness of MS Sheet of Stiffner (in mm) | 0.9 mm |
| | Stiffened Pedestal height in mm (± 2 mm) | 120 |
| | Pedestal Width in mm (± 2 mm) | 70 |
| COLOUR & FINISH | Finish | powder coated |
| WARRANTY | WARANTEE PERIOD IN NUMBER OF YEARS | 1 |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 20 | 60 |

Steel Filing Cabinets (6 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-----------------|--|---|
| GENERIC | Number of Drawer (NOS) | 3 |
| | Drawer suspension | Telescopic Slide |
| | Lock | Provided |
| | Locking Mechanism | cylinder locking |
| | Movable with Wheels at bottom | No |
| | Loading Capacity of drawer in kg (+/- 2 Kg) | 40, 50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200 Or higher |
| MATERIAL | Sheet Thickness of Side, Back, Top and bottom in mm (+/- 5%) | 0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher |
| | Sheet Thickness of Filing Drawer in mm (+/- 5%) | 0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher |
| | Clutch compressor strip or Cradle strip | made of steel sheet of 1 mm thickness(min) |
| DIMENSION | Overall Height +/- 10(mm) | 1050.0 |
| | Width +/- 10 (mm) | 450.0 |
| | Depth +/- 10(mm) | 620.0 |
| | Height of smallest Drawer +/- 10(mm) | ALL DRAWERS EQUAL |
| | Height of medium Drawer +/- 10(mm) | ALL DRAWERS EQUAL |
| | Height of largest Drawer +/- 10(mm) | N.A |
| COLOUR & FINISH | Finish | powder coated |

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---------|----------|---------------|
|-------|-----------------------------|---------|----------|---------------|

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 6 | 60 |

Chairs-Office- IS 3499 (24 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

* [As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|--|
| MATERIAL | Type of material (other than wood) used in Polythene cane Chair | NOT APPLICABLE |
| | Material of Fabric Back Cover | polyster |
| | Frame Material | ERW pipe |
| | Material of Fabric of Seat Cover | fabric |
| | Thickness of Plywood used in Seat ± 1 (mm) | 12 mm |
| | GSM/Thickness of Fabric ± 5 (Gram per Sq Meter) | 220 Gram per Sq Meter |
| | Arm Material | polypropelene |
| | Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm) | N.A |
| | Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm) | 60 mm |
| GENERIC | Chair Type | With Arms |
| | Type of Seat and Backrest | Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded polypropylene |
| | Frame Type | 4 Legs |
| | Castors | Without |
| DIMENSION | Size of Material (mm) | 16 SWG 30 mm round pipe |
| | Chair Height ± 15 (mm) | 890 mm |
| | Seat Depth ± 10 (mm) | 530 MM |
| | Seat Width ± 10 (mm) | 470 mm |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-----------------|--|----------------------------------|
| | Seat Height IN MM ± 5 (mm) | 430 |
| | Backrest Width ± 10 (mm) | 480 mm |
| | Backrest Height ± 10 (mm) | 500 mm |
| | Arm Length ± 5 (mm) | N.A |
| | Arm Width ± 2 (mm) | 75 mm, N.A |
| COLOUR & FINISH | Paint Type | powder coated on MS |
| CERTIFICATION | Test reports to be furnished to buyer on demand | YES |
| | BIFMA certification | NO |
| | OEM of offered product is ISO 9001:2015 certified | YES |
| | OEM of offered product is ISO 14001:2015 certified | YES |
| | OEM of offered product is ISO 18001:2007 certified | YES |
| WARRANTY | Warranty period in number of years | 1 |

Additional Specification Parameters - Chairs-Office- IS 3499 (24 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|----------------------------------|
| Color of Paint, Fabric for Seat and Backrest | Black |
| Finish | Powder Coated |
| Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M) | 40 Kg/Cub M |
| Shoe Type | Nylon Rubber |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 24 | 60 |

Revolving Chair (6 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|---|
| MATERIAL | Pedestal Base | Aluminium Alloy With Nylon Twin Caster Wheels Minimum Of 50-70 Diameter |
| | Arm Material | Proopylene |
| | seat material | PU foam covered with mesh fabric |
| | Material of Fabric Back Cover / Material for Backrest | mesh fabric |
| | Material of Fabric of Seat Cover | Mesh Fabrics |
| GENERAL | Chair Type | knee tilt synchronic |
| | Height Adjustment \pm 5(mm) | up to 100 mm |
| | Arm | With |
| | Type of backrest support | Backrest With Adjustable Lumber Support |
| | Arm Type | Adjustable |
| | Ergonomic Seat Design | Yes |
| | Back type | push back |
| | backrest has separate adjustable headrest | Yes |
| | Seat type | sliding |
| | Number of arm movement | 4(up & down end left & right) |
| | Lumber support | integrated |
| DIMENSION | Overall Chair Height \pm15mm | 1220 |
| | Backrest Height \pm15mm | 730.0 |
| | Backrest Width \pm10mm | 440.0 |
| | Seat Height \pm15 mm | 420 |
| | Seat Width \pm10 mm | 500 |
| | Seat Depth \pm10 mm | 480.0 |
| | Thickness of MS Plate Joining the under structure with Seat | 0.0 |
| | Thickness of Plywood used in Seat \pm1(mm) | 12 mm |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|----------------------------------|
| | Thickness of Plywood used in Backrest \pm 1(mm) | N.A |
| | Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm) | 45 mm |
| | Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM) | N.A |
| WARANTEE | Warrantee period in number of years | 1-year |
| CERTIFICATION | Test reports to be furnished to buyer on demand | YES |
| | BIFMA Certification | NO |
| | OEM of offered product is ISO 9001:2015 certified | YES |
| | OEM of offered product is ISO 14001:2015 certified | YES |
| | OEM of offered product is ISO 18001:2007 certified | YES |
| | Green guard certification | NO |
| | Aiota | NO |

Additional Specification Parameters - Revolving Chair (6 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|---|---|
| Density of PU foam used in seat KG per Cu Meter (+/- 3) | 40 |
| GSM/Thickness of fabric \pm 5% (Gram/Square meter) | 220 |
| Backrest is made of two pcs injection moulded frame | Backrest is made of two pcs injection moulded frame |
| Pedestal Size (Diameter in mm) +/- 10 mm | 680 |
| Type of Locking | 3-Position Locking |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 6 | 60 |

Revolving Chair (42 pieces)

(Minimum 50% Local content required for MII compliance)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|--|
| MATERIAL | Pedestal Base | Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size |
| | Arm Material | Proppylene |
| | seat material | PU foam covered with mesh fabric |
| | Material of Fabric Back Cover / Material for Backrest | mesh fabric |
| | Material of Fabric of Seat Cover | Mesh Fabrics |
| GENERAL | Chair Type | central tilt synchronic |
| | Height Adjustment ± 5(mm) | up to 100 mm |
| | Arm | With |
| | Type of backrest support | Backrest With Adjustable Lumber Support |
| | Arm Type | Adjustable |
| | Ergonomic Seat Design | Yes |
| | Back type | push back |
| | backrest has separate adjustable headrest | No |
| | Seat type | fixed |
| | Number of arm movement | 2(up & down) |
| | Lumber support | integrated |
| DIMENSION | Overall Chair Height ±15mm | 1025 |
| | Backrest Height ±15mm | 520.0 |
| | Backrest Width ±10mm | 480.0 |
| | Seat Height ±15 mm | 500 |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--|----------------------------------|
| | Seat Width ±10 mm | 480 |
| | Seat Depth ±10 mm | 540.0 |
| | Thickness of MS Plate Joining the under structure with Seat | 0.0 |
| | Thickness of Plywood used in Seat ±1(mm) | 12 mm |
| | Thickness of Plywood used in Backrest ± 1(mm) | N.A |
| | Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm) | 60 |
| | Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM) | N.A |
| WARANTEE | Warrantee period in number of years | 1-year |
| CERTIFICATION | Test reports to be furnished to buyer on demand | NO |
| | BIFMA Certification | NO |
| | OEM of offered product is ISO 9001:2015 certified | YES |
| | OEM of offered product is ISO 14001:2015 certified | YES |
| | OEM of offered product is ISO 18001:2007 certified | YES |
| | Green guard certification | NO |
| | Aiota | NO |

Additional Specification Parameters - Revolving Chair (42 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|---|---|
| Density of PU foam used in seat KG per Cu Meter (+/- 3) | 40 |
| GSM/Thickness of fabric ±5% (Gram/Square meter) | 220 |
| Backrest is made of two pcs injection moulded frame | Backrest is made of two pcs injection moulded frame |

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|---|
| Pedestal Size (Diameter in mm) +/- 10 mm | 680 |
| Colour of Fabric for Seat and Backrest | Black |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|--------------|------------------------------------|---|-----------------|----------------------|
| 1 | Mukesh Vaishnav | 302001,72-B JHALANA INSTITUTIONAL AREA, JHALAN DOONGARI JAIPUR RAJASTHAN 302001 | 25 | 60 |
| 2 | Gurudutt Bohra | 305023,Office of Senior Hydrogeologist (S&R), Ground Water Department, G.A.D. Quarter, Pushkar Bypass Road, Kayad Ajmer (Raj.) - 305023 | 1 | 60 |
| 3 | Niranjan Mathur | 301001,Office of the Senior Hydrogeologist, Ground Water Department, 352, Lajpat Nagar, Alwar - 301001 | 2 | 60 |
| 4 | Madan Singh Ranawat | 311001,Office of the Incharge Hydrogeologist, Ground Water Department, 70 Rama Vihar, Near Sukhadia Circle, Bhilwara 311001 | 1 | 60 |
| 5 | Barkat Ali | 334001,Office of the Senior Hydrogeologist, Ground Water Department, Jorbeer, Near NRCC, Bikaner - 334001 | 1 | 60 |
| 6 | Anoop Kumar Thareja | 302004,Office of the Senior Hydrogeologist, Ground Water Department, 72-B Jhalana Doongari, Jaipur. Pin No. 302004 | 2 | 60 |
| 7 | Narayan Das Inakhiya | 345001,Office of the Incharge Hydrogeologist (Survey & Research), Ground Water Department, Near Airforce Circle, Jaisalmer 345001 | 1 | 60 |
| 8 | Manish Panwar | 326001,Office of the Incharge Hydrogeologist, Ground Water Department, Purana Thop Khana, Godam ki Talai, Jhalawar.- 326001 | 1 | 60 |

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---|----------|---------------|
| 9 | Rajesh Pareek | 333001,Office of the Incharge Hydrogeologist, Ground Water Department, Behind Collector Office Campus, Mandawa Mod, Jhunjhunu. Pin no. 333001 | 1 | 60 |
| 10 | Dr.Prawal Athaiya | 324001,Office of the Senior Hydrogeologist, Ground Water Department, C.A.D Residential Colony, C.A.D Circle, Kota - 324001 | 2 | 60 |
| 11 | Sandeep Jain | 313324,Office of the Pilot Team Leader (RWSRP), Ground Water Department, Rajsamand, Above Panchayat Samiti Rajsamand, Near Jail Rajsamand District, Pin:- 313324 | 1 | 60 |
| 12 | Suresh Singh | 322001,Office of the Incharge Hydrogeologist, Ground Water Department, Sawai Madhopur, Behind Akashwani Campus, Collectorate Road, Sawai Madhopur. Pin No. 322001 | 2 | 60 |
| 13 | Dinesh Kumar | 332001,Office of the Incharge Hydrogeologist, Sangliya Bhawan, In Front street of Maru School, Aanand Nagar, Fatehpur Road, Sikar, 332001 | 1 | 60 |
| 14 | Ashok Kumar Badala | 312001,Office of the Senior Hydrogeologist(Survey & Research), Ground Water Department, Segwa Housing Board Road, Senthi, Chittorgarh | 1 | 60 |

Buyer Added Bid Specific Additional Terms and Conditions

- Bidder Turn Over Criteria:** The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- OEM Turn Over Criteria:** The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.
- Dedicated /toll Free Telephone No. for Service Support :** BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
 6. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
 7. ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.
 8. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
 9. Buyer Added text based ATC clauses
 1. EMD: Bid Security Declaration by Bidder must be uploaded as per circular no. F.2(1)/Finance/G&T-SPFC/2017 dt 23.12.2020.
 2. Office of the service center must have ISO 9001 certification and is required to be located in consignee state for sake of better co-ordination, smooth services and other administrative factors. In support, service provider will give details of office address, Contact Person and his mobile number along with the bid failing which there offer will not be considered.
 3. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
 4. The bidder is required to upload, along with this bid, offered product/ model wise all certificates including certificates of dimensional accuracy, specifications of all material and finishes used in manufacturing the product duly certified by NABL/ govt. accredited lab.
 5. Commercial Experience Eligibility Criteria:

For experience, the order(s) executed by the bidder in central/ state govt organization by the bidder, during the last three years ending on the last day of the month immediately preceding the month in which the last date of bid submission falls, should be considered as under:

Three orders each executed for "similar item" where executed value is not less than the amount equal to 30% of the estimated cost.

OR

Two orders each executed for "similar item" where executed value is not less than the amount equal to 40% of the estimated cost.

OR

One order executed for "similar item" where executed value is not less than the amount equal to 50% of the estimated cost.

The last date of order execution may fall in the above mentioned period.
 6. Pre-dispatch inspection of goods: Before dispatch, the goods shall be inspected by any NABL/ govt accredited lab at bidder premises. Bidder shall provide pre-dispatch inspection certificate along with invoice to all consignees with the supply. Inspection charges shall be borne by the supplier and it shall not be reimbursed by indenter to them at any point in time. Cost of inspection shall be factored in by the supplier in the cost of the product itself while submitting bid.
 7. In case of any claim made during warranty period, repair action must be taken onsite within 120 hours of reporting the defect on company provided service center, or else the buyer will be entitled to deduct/recover the penalty for the delay, unless covered under Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have arisen after the conclusion of the present contract., @ 0.5% per day per item as penalty amount not exceeding Performance security without any controversy/dispute of any sort whatsoever.
 8. This procurement is reserved for MSMEs of Rajasthan State only as per notification of FD (G&T Division) dated 19.11.2015.
- .
10. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---